

FP00-0104-00

WHAT IS CLAIMED IS:

1. A computer-readable recording medium for a video game, with the medium recording a video game program for transforming a three-dimensional object having a shape defined with a plurality of vertexes, the program causing the computer;

to obtain the rotation angle of each joint in a virtual skeleton of the three-dimensional object constituted with a plurality of joints with each of the plurality of vertexes made to correspond to any one of the plurality of joints according to animation data defining the movement of the virtual skeleton at every frame display period; and

to calculate the rotation angle of the vertex on the basis of the obtained rotation angle of each joint and a weight predefined for the vertex corresponding to the joint, and to move the vertex according to the rotation angle at every frame display period.

2. A computer-readable recording medium for a video game of claim 1, wherein in the movement of the vertex, the rotation angle of the vertex is calculated on the basis of one rotation angle relative to one rotation axis determined with the obtained rotation angle of the joint and the weight predefined for the vertex corresponding to the joint and the vertex is moved to a position obtained by rotating the vertex through the rotation angle about

FP00-0104-00

the one rotation axis.

3. A computer-readable recording medium for a video game of claim 1, wherein the obtaining of the rotation angle of the joint, the rotation angle of each joint is  
5 obtained for each of three rotation axes intersecting at right angles; and

in the movement of the vertexes, one rotation axis and one rotation angle are calculated on the basis of the three obtained rotation angles of the joints;

10 the one calculated rotation angle is interpolated on the basis of the weight predefined for the vertex and the rotation angle of the vertex is calculated; and

the vertex is moved according to the calculated rotation angle of the vertex and the one rotation axis at  
15 the every display period.

4. A computer-readable recording medium for a video game of claim 1, wherein in the calculation of the rotation angle of the vertex, the one rotation angle is  
sphere-linear-interpolated according to the weight  
20 predefined for the vertex to calculate the rotation angle of the vertex.

5. A computer-readable recording medium for a video game of claim 1, wherein the vertex corresponding to the one joint is sorted with the weight predefined for the  
25 vertex; and

in the movement of the vertex, a determination is

FP00-0104-00

made whether the same weight as that predefined for the vertex moved immediately before is defined for the vertex to be moved;

5 when it is determined that the same weight as that predefined for the vertex moved immediately before is not defined for the vertex to be moved, the rotation angle of the vertex to be moved is calculated on the basis of the obtained rotation angle of the joint corresponding to the vertex to be moved and the weight predefined for the vertex  
10 to be moved, and data on the rotation angle is stored;

the vertex to be moved is moved according to the stored data on the rotation angle, and

when it is determined that the same weight as that predefined to the vertex moved immediately before is  
15 defined for the vertex to be moved, the vertex to be moved is moved according to the stored data on the rotation angle.

6. A computer-readable recording medium for a video game of claim 1, wherein in the movement of the vertex,  
20 a determination is made whether the same weight as that predefined for the already moved vertex among the vertexes corresponding to the same joints is defined for the vertex to be moved;

when it is determined that the same weight as that  
25 predefined for the already moved vertex among the vertexes corresponding to the same joints is not defined for the

FP00-0104-00

vertex to be moved, the rotation angle of the vertex is  
calculated according to the obtained rotation angle of the  
joint corresponding to the vertex to be moved and the  
weight predefined for the vertex to be moved, and the data  
5 on the rotation angle is associated with the weight of the  
vertex and stored;

the vertex to be moved is moved according to the  
calculated rotation angle; and

when it is determined that the same weight as that  
10 predefined for the already moved vertex among the vertexes  
corresponding to the same joints is defined for the vertex  
to be moved, the data on the rotation angle stored as  
associated with the weight predefined for the vertex to  
be moved is obtained, and the vertex to be moved is moved  
15 according to the data on the rotation angle.

7. A method of transforming a three-dimensional object  
having a shape determined with a plurality of vertexes in  
a video game, wherein the rotation angle of each joint in  
a virtual skeleton of the three-dimensional object  
20 constituted with a plurality of joints with each of the  
plurality of vertexes made to correspond to any one of the  
plurality of joints is obtained at every frame display  
period, according to animation data defining the movement  
of the virtual skeleton, and

25 the rotation angle of the vertex is calculated on the  
basis of the obtained rotation angle of each joint and a

FP00-0104-00

weight predefined for the vertex corresponding to the joint, and the vertex is moved at every frame display period, according to the rotation angle.

8. A method of transforming a three-dimensional object in a video game of claim 7, wherein in the movement of the vertex, the rotation angle of the vertex is calculated on the basis of one rotation angle relative to one rotation axis determined with the obtained rotation angle of the joint and the weight predefined to the vertex corresponding to the joint, and the vertex is moved to a position obtained by rotating the vertex through the rotation angle about the one rotation axis at every frame display period.

9. A method of transforming a three-dimensional object in a video game of claim 1, wherein the rotation angles of the three rotation axes intersecting at right angles are obtained,

in the movement of the vertex, one rotation axis and one rotation angle are calculated on the basis of the obtained rotation angles of the three rotation axes of the joint;

the obtained one rotation angle is interpolated according to the weight predefined for the vertex to calculate the rotation angle of the vertex; and

the vertex is moved according to the calculated rotation angle and the one rotation axis.

FP00-0104-00

10. A video game apparatus for transforming a three-dimensional object having a form at least a part of which is determined by a plurality of vertexes associated with a cluster, said apparatus having:

5 a computer; and

a computer-readable recording medium having recorded therein a program to be executed by said computer;

said program causing said computer to execute:

10 obtaining the rotation angle of each joint in a virtual skeleton of the three-dimensional object which is constituted with a plurality of joints and in which each of the plurality of vertexes corresponds to any one of the plurality of the joints at every frame display period,  
15 according to the basis of the animation data defining the movement of the virtual skeleton, and

calculating the rotation angle of the vertex on the basis of the rotation angle of each joint obtained with the obtaining of the rotation angle and the weight  
20 predefined for the vertex corresponding to the joint and for moving the vertex according to the calculated rotation angle at every frame display period.

11. A video game apparatus for transforming a three-dimensional object of a shape determined with a  
25 plurality of vertexes, comprising:  
a computer and

FP00-0104-00

a computer-readable recording medium recording a program  
to be executed with the computer,

the program causes the computer to execute;

obtaining the rotation angle of each joint in the  
5 virtual skeleton of the three-dimensional object which is  
constituted with a plurality of joints and in which each  
of the plurality of vertexes corresponds to any one of the  
plurality of the joints, at every frame display period  
according to the animation data defining the movement of  
10 the virtual skeleton, and

calculating the rotation angle of the vertex on the  
basis of the rotation angle of each joint obtained with  
the obtaining of the rotation angle and the weight  
predefined for the vertex corresponding to the joint and  
15 moving the vertex according to the calculated rotation  
angle at every frame display period.

12. A computer program for a video game, for  
transforming a three-dimensional object having a shape  
defined with a plurality of vertexes, the computer program  
20 causing the computer;

to obtain the rotation angle of each joint in a  
virtual skeleton of the three-dimensional object  
constituted with a plurality of joints with each of the  
plurality of vertexes made to correspond to any one of the  
25 plurality of joints according to animation data defining  
the movement of the virtual skeleton at every frame

FP00-0104-00

display period; and

to calculate the rotation angle of the vertex on the  
basis of the obtained rotation angle of each joint and a  
weight predefined for the vertex corresponding to the  
5 joint, and to move the vertex according to the rotation  
angle at every frame display period.

10